

LABDex



Mini centrifuge LX161MC

Email: info@labdex.com **website:** www.labdex.com

Description

Mini centrifuge LX161MC is a small laboratory centrifuge with a speed of 4000 & 6000 rpm. Equipped with a cover press button for start / stop function with a clip on rotor for convenient rotor exchange. Integrated with rotor adaptation capacity of 6 x 1.5 ml / 2.0 ml rotor and 2 x 8 x 0.2 ml strip rotor.

Specifications

Speed	4000 & 6000 rpm
Maximum RCF	1200 & 2000 x g
Rotor	6 x 1.5 ml x 2.0 ml rotor ; 2 x 8 x 0.2 ml strip rotor
Power	AC 100 V ~ 240 V
Dimensions	175 x 148 x 118 mm
Weight	0.7 kg

Features

- ✓ Centrifugal speed - 4000 & 6000 rpm
- ✓ Cover press-button with start/stop function
- ✓ On button press automated lid opening for one-hand operation
- ✓ Quick release rotor tub for easy rotor exchange
- ✓ Electronic braking system for rapid sample processing

Applications

- ✓ Used to extract DNA / RNA samples , sedimentation of biological components , biochemical , chemical analysis of microsamples and separation of trace blood cells

Rotor Selection

Rotor name	Rotor specification
Rotor R1	6 x 1.5 / 2.0 ml
	6 x 0.5 ml
	2 - 8 x 0.2 ml PCR Strip rotor

Optional Accessories

Accessory No	Accessory
1)	Allen wrench
2)	Slide rotor



71-75 Shelton Street Covent Garden, London WC2H 9JQ UK.

Email: info@labdex.com | Website: www.labdex.com